# SAFETY DATA SHEET



1. Identification

Product identifier Diamond Crystal® Flash Melt® Ice Melter

Other means of identification

SDS number ND13

Synonyms Calcium Chloride. \* Diamond Crystal® Flash Melt® Calcium Chloride Ice Melter.

Recommended use Deice

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Cargill Incorporated

Address Minneapolis, MN 55440

Telephone1-888-385-7258Websitewww.cargillsalt.com

**Emergency telephone** North America: 1-800-255-3924

number International: +1-813-248-0585 Collect calls are accepted

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements

**(!)** 

Signal word Warning

Hazard statement Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

**Mixtures** 

Chemical description Alkaline Earth Metal/Halide

| Chemical name      | CAS number | %     |
|--------------------|------------|-------|
| Calcium Chloride   | 10043-52-4 | 90-92 |
| Water              | 7732-18-5  | 4-6   |
| Potassium chloride | 7447-40-7  | 2-3   |
| Sodium Chloride    | 7647-14-5  | 1-2   |
|                    |            |       |

Diamond Crystal® Flash Melt® Ice Melter

922449 Version #: 02 Revision date: 11-July-2018 Issue date: 15-September-2014

1 / 7

#### 4. First-aid measures

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a Inhalation

physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if

symptoms occur.

Most important

symptoms/effects, acute and

delayed

Ingestion

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special

treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Methods and materials for containment and cleaning up

**Environmental precautions** 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

controls

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

During fire, gases hazardous to health may be formed such as: Hydrogen chloride gas.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

This product is not flammable or combustible.

Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Calcium chloride can corrode containers made of steel.. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. Walking surfaces may remain wet longer due to moisture being held by spilled material. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and

moisture. Will absorb water when exposed to atmosphere. Contact with sulfuric acid will yield

hydrogen chloride. Practice good housekeeping.

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Considerable heat is generated when mixed with water. Incompatible with boric oxide, calcium oxide, bromine trifluoride, and zinc. Metals will slowly corrode in aqueous solution. Aluminum and yellow brass will be attacked by calcium chloride. Leather clothing and shoes will be damaged by calcium chloride.

# 8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s). Appropriate engineering

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.

Diamond Crystal® Flash Melt® Ice Melter 2/7 922449 Version #: 02 Revision date: 11-July-2018 Issue date: 15-September-2014

Individual protection measures, such as personal protective equipment

Unvented, tight fitting goggles should be worn in dusty areas. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Skin protection

Wear suitable protective clothing. Other

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator

if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** White to off-white solid pellets or flakes.

Physical state

**Form** Small white, hygroscopic, deliquescent granules that release heat upon contact with water and

have a strong bitter and pungent taste.

White. Color Odor Odorless. Not available. Odor threshold Not available. 1439.6 °F (782 °C) Melting point/freezing point

Initial boiling point and boiling

range

3515 °F (1935 °C) (760 mmHg) (760 mm Hg)

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

0.75 g/ml Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

Molecular formula CaCl2 or CaCl2•2H2O 110.99 or 147.02 Molecular weight

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Incompatible materials Will absorb water when exposed to atmosphere. Contact with sulfuric acid will yield hydrogen

chloride. Metals will slowly corrode in aqueous solution. Aluminum and yellow brass will be attacked by calcium chloride. Materials to avoid: boric oxide, calcium oxide, bromine trifluoride,

and zinc.

Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such

as bromide.

Hazardous decomposition

products

See above.

## 11. Toxicological information

Information on likely routes of exposure

InhalationInhalation of dusts may cause respiratory irritation.Skin contactProlonged or repeated skin contact may cause irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Information on toxicological effects

Acute toxicity In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

Components Species Test Results

Potassium chloride (CAS 7447-40-7)

<u>Acute</u> Oral

LD50 Rat 3020 mg/kg

Sodium Chloride (CAS 7647-14-5)

Acute Oral

LD50 Rat 3000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not classified.

repeated exposure

Diamond Crystal® Flash Melt® Ice Melter
922449 Version #: 02 Revision date: 11-July-2018 Issue date: 15-September-2014

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Potassium chloride (CAS 7447-40-7)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 149 mg/l, 48 hours Fish LC50 Western mosquitofish (Gambusia affinis) 435 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Serious eye damage or eye irritation

categories

Diamond Crystal® Flash Melt® Ice Melter
922449 Version #: 02 Revision date: 11-July-2018 Issue date: 15-September-2014

# SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### US state regulations

## US. Massachusetts RTK - Substance List

Not regulated.

### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not regulated.

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

### **International Inventories**

Taiwan

Country(s) or region

| Australian Inventory of Chemical Substances (AICS)                     | Yes  |
|--|--|
| Domestic Substances List (DSL)   | Yes  |
| Non-Domestic Substances List (NDSL)                                    | No   |
| Inventory of Existing Chemical Substances in China (IECSC)             | Yes  |
| European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes  |
| European List of Notified Chemical Substances (ELINCS)                 | No   |
| Inventory of Existing and New Chemical Substances (ENCS)               | Yes  |
| Existing Chemicals List (ECL)  | Yes  |
| New Zealand Inventory  | Yes  |
| Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes  |
|  | Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances |

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

### 16. Other information, including date of preparation or last revision

Inventory name

15-September-2014 Issue date

11-July-2018 Revision date

Version # 02 Health: 2 **HMIS®** ratings

United States & Puerto Rico

Flammability: 0 Physical hazard: 0

922449 Version #: 02 Revision date: 11-July-2018 Issue date: 15-September-2014 Yes

Yes

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.

It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.

This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use